UNICARRIERS FORKLIFT

Platinum II[®] Series

Engine Powered Forklifts


Gas, LP, Dual Fuel 3,000 - 8,000 lbs. Capacities | Cushion Tire 3,000 - 7,000 lbs. Capacities | Pneumatic Tire



UNICARRIER

Platinum II[®] Series Applications

Powered by our GCT GK21 and GK25 engines, the Platinum II sets the standard for performance, using less fuel and delivering more cycles per hour in a variety of demanding applications that include:







Look for these symbols for features available only on UniCarriers forklifts or that provide a proven performance advantage as compared to competitive trucks.

UNICARRIERS® **FORKLIFT**

NEVER QUIT.

It defines our forklifts and the company that builds them.

Over the course of a century, the company known as UniCarriers took shape. As we grew and evolved into a US manufacturer with a global reach in nearly 100 countries worldwide, much has changed, but one thing hasn't: our mission. UniCarriers is committed to providing you with the ultimate in reliability, performance, and value.

And that commitment can be seen in the Platinum II Series. Powered by our legendary GK21 and GK25 industrial engines, our rugged Platinum II forklifts deliver greater torque and horsepower, reduce CO, HC and NOx exhaust emissions, and come standard with some of the most advanced performance, security and operator comfort features available anywhere. Plus, it's all backed by the best standard, limited warranty in the business.

O Up Your UpTime

Discover reliability features that cut downtime and keep your business up and running



Comfort Zone

Your drivers and your entire operation will benefit from our comfort & productivity features



Power & Performance

You'll find amazing efficiency, reliability and performance in our GK21 and GK25 engines

Š

Sweet Savings

The Platinum II is designed to deliver you a low cost of ownership year after year after year



Play It Safe

Safety is everybody's business, and the Platinum II is all business when it comes to safety

ţţ

Control Freak

You're in complete control when it comes to managing costs and productivity



Discover how our unique design can help you improve performance indoors and out

Make It Yours

Already well appointed, Platinum II can be customized to meet your specific needs

To learn more, and a find a dealer near you, visit UniCarriersAmericas.com

Up Your UpTime

Trained technicians can **program** **service interval alerts** for each unit in operation through the meter panel. Drivers are notified when scheduled maintenance is required. When it comes to keeping your operation up and running, the Platinum II Series offers you significant advantages, beginning with a reliable cooling design, service reminders and longer maintenance intervals. Throughout the Platinum II you'll find innovative and proven protection and warning systems to help you maximize uptime, while minimizing cost.

Longer Preventative Maintenance Intervals

50

UNI CARRIERS

With the Platinum II Series, most major service intervals are only required every 500-600 hours, reducing labor and lowering your operating costs.

ADVAN*D*A

UN

The Platinum II's display includes **standard warnings, like an air cleaner light (if clogging occurs) and low coolant level**. You'll find common sense features like these come as standard equipment on our forklifts – but not on our competitors'.



A standard **parking brake transmission interlock** keeps the forklift in neutral and prevents the operator from driving while the parking brake is engaged to protect the brakes and transmission and reduce premature brake wear.



Inhibit operators from shifting at high speeds with our *SmoothShift* system. This option limits transmission shock and excessive wear— and extends service life too.

Easy LP Tank Changes

With our simplified LP replacement system, an optional bracket swings out 90°, then pulls down to a manageable height, for faster, easier tank replacement. *Not available on all models.*


UNICARRIERS. FORKLIFT





UNI CARRIERS ADVANTAGE

Keep your starter and battery healthy with a **starter interlock.** This optional equipment **protects the forklift's starting system** by restricting repeated attempts to start the engine when the LP system is out of fuel.



Defend Against Overheating

Our reliable cooling system includes an electronic engine protection and warning system that **monitors radiator fluid and transmission oil temperatures at all times.** This system also contains a field-proven bottom bypass design with thermostat to **prevent hot spots and prolong engine life.** And its large 10-blade fan and aluminum radiator produce effective cross-flow cooling.

Reduce Downtime through Self-Diagnostics

Integrated **on-board diagnostics** provides immediate truck status. Standard equipment on the Platinum II Series, this intuitive dialogue display, combined with accessible service history, **reduces troubleshooting time**, so the unit is back in operation faster. Everything is done through its smart LCD panel. No handset device is needed.





Comfort Zone





ADVANTAGE

A standard high-visibility carriage* and your choice of an OptiView[®], triple stage or wide-view mast — together these features produce clear sightlines for both loading and moving.

*Available at no additional cost on model capacities up to 5500 lbs.



Our Seat Supports Your Driver and Your Productivity

The lumbar support and weight adjustments create customized comfort for the operator, while a non-cinching seatbelt allows a wider range of movement. The full suspension design absorbs shocks for a smoother, more comfortable ride — and it's all standard on Platinum II Series forklifts.

Lumbar support adjustment

Weight adjustment

Seat and backrest cushions can be individually replaced for enhanced savings.





Travel Ergonomics

The optional secure assist grip makes it easier to maintain a rear facing position while reversing. A horn button is included.




Convenience at Your Fingertips

Standard automotive-style controls are located on either side of the steering column for accessibility and intuitive operation.



Get a Smoother Ride

Pneumatic tire models are designed with a floating powertrain that includes four independent dampers, to reduce vibrations that can contribute to operator fatigue.



Controls are ergonomically placed across a low profile cowl, making visibility while picking up loads easier for a variety of operator heights.

Add a Spinner Knob for Easier Handling

Operators love this optional feature because it gives them even easier control behind the wheel.

Power & Performance

50

UNIC

Operator Efficiency Achieved

INICARRIERS

Choose the optional integral side shifter resulting in fewer moves to store and retrieve loads, while minimizing capacity loss versus hang-on designs.

More Power, More Efficiently

Advanced engine technology makes it possible for our GK21 and GK25 engines to deliver **greater torque at lower RPMs**. This is achieved due to a combination of factors, including **direct ignition coils connected to each cylinder**, as well as electronic monitoring and control systems. Platinum II models also include an atmospheric sensor that helps maintain exhaust emission performance.




Paired for Maximum Performance

Built to our specifications, the Platinum II's transmission is uniquely designed to **optimize the horsepower and torque of our GK21 and GK25 industrial engines.** This proven drivetrain delivers powerful, yet efficient performance.

The Nomad's standard Power setting allows you to achieve maximum performance — and an annual productivity increase of up to 2500 cycles per truck.

Study findings are based on a 1200-hour usage





Cleaner Running Engines for Greater Performance

The injector valve's powerful opening force aids in conditions where lower quality LP fuel is used. Gas is located under the valve to **help reduce possible tar build up on the injectors** which can adversely affect performance. A pressure sensor is located between the two injectors.

Consistent Performance through Reliable Technology

The Platinum II's engine and vehicle control modules along with multifunction display communicate through a reliable CAN-bus network to manage changing system requirements and maintain consistent performance.



Built for Rugged Dependability

Solid steer axles and thick steel front fenders provide protection against harsh work environments.

Switch to the Platinum II's optional Economy mode to get greater fuel efficiency. Independent testing has shown our GK21 engines use nearly 11% less fuel compared to competitive models under unloaded conditions.*

* Results based on 5000 lb. capacity LP cushion tire models in Economy mode.



SELECT ECONOMY SETTING FOR FUEL SAVINGS PLATINUM II SERIES BRAND A BRAND B 4 5 6 7 8

Fuel Usage in Pounds per Hour

Sweet **Savings**

Extra Protection Without Extra Expense



In the event of excessive heat or loss in engine oil pressure, our **Powertrain Protection System** reduces engine RPM for longer engine and drivetrain life. This great feature is standard on models powered by our GK21 and GK25 engines, versus competitive forklifts requiring a costly add-on.





Our power/economy controlled acceleration feature restricts the acceleration rate to maximize fuel economy and minimize tire spin. Gradual acceleration is also useful when moving fragile loads or operating in confined areas. Three design choices for this option offer increasingly more security against tampering: toggle switch, key switch or set internal parameters to keep this feature activated.









Long Life LEDs

Everything about the Platinum II is designed for longer life and greater savings, including the standard LED headlights that deliver greater visibility while being more economical and cost-effective over the life of the machine.

Repositionable Headlights

Our Overhead Guard Reduces Your Overhead


Beyond ample headroom, the fivepiece overhead guard reduces costs of replacement and is easier to install versus competitors' singlepiece, welded-on guards. That cuts downtime and saves money.



Save More, Waste Less UNICARRI ADVANTA

With the Platinum II's standard LPMax System nearly every drop of liquid LP is used thanks to its reliable and timely low fuel warning, reducing early tank replacement and saving you money. An average 8-minute* warning means the operator can maximize productivity instead of lugging an empty tank to the refill station.





Air filter check & replacement

Change transmission filter

Hydraulic oil level & fill

Extended Service Intervals

The electronic ignition system means you'll service the Platinum II less often because the recommended times between routine maintenance are longer. And you'll spend less time doing it because the critical service points including fluids, filters and belts — are all readily accessible.

Eliminate Spark Plug Wires and Timing Adjustments

The engine cylinder timing is individually controlled through an ignition coil at each plug, eliminating associated maintenance. Free from mechanical linkages or aging wires that can cause performance loss, this design delivers better engine efficiency.

Other serviceability features:

- Easy oil filter replacement
- **Fast fan belt adjustment**
 -) Accessible radiator

Play It Safe

As a leader in clean air engines for nearly a decade, our products have benefited from the knowledge gained through our automotive heritage. Our GK21 and GK25 industrial engines incorporate an electronic engine control system, using a closed loop design to produce high combustion efficiency with lower and cleaner emission levels. We've also included several security systems as standard, and more options to meet your particular needs.



Supplemental Security

Several options are available for to supplement existing safety measures:


- **Seatbelt Interlocks** include a variety of choices for restricting forklift operations if the seatbelt is not latched.
- **Fire Extinguisher** mounted to the overhead guard pillar, for quick and easy access.
- **Orange Seatbelt** is highly visible, making seatbelt usage easier to enforce.
- UL Safety Rating on LP models are for hazardous environments.

Operator Presence System



This comprehensive system includes a **seat-actuated power interrupt with mast-lock**, automatically preventing lift and tilt operations if the operator leaves the seat. The **return-to-neutral** feature minimizes forklift movement if the operator leaves the truck while still in gear. Other audible and visual warnings come standard, including **parking brake warning** and **seatbelt alarm**.





Safety Doesn't Have to be Complicated

Unlike the complex systems offered by some competitors, our cushioned stability control is simple, extremely effective and **low maintenance** enhanced lateral stability is achieved by a rubber damper placed between the axle and frame.



Seeing is Believing


Cylinders are positioned behind the mast rails resulting in fewer visual obstructions for the operator. Ideal for facilities that transport delicate loads, our optional OptiView[®] mast makes fork positioning and load handling easier.



OSHA strictly regulates carbon monoxide (CO) levels in the workplace for good reason.

The Platinum II's CO levels are among the lowest in its engine class — three times lower than those of a major competitor based on 2015 certification results from the California Air Resources Board.

We achieved these lower and cleaner emission levels through the higher combustion efficiency delivered by our electronic engine control system that incorporates an Engine Control Module (ECM) and a 3-way catalytic converter.



*Based on 2015 CARB certification results.

Control Freak

Make a Positive Impact

A variety of optional impact sensors are available to record each time the forklift comes into contact with an object, allowing you to respond accordingly.

Single Handle Control Lever

Faster, easier and more fluid, our single handle control **combines both lift and tilt functions for greater productivity**. It's standard equipment on the Platinum II Series — and not available from any other forklift brand. Separate control levers are available at no charge.





Auto-Tilt Leveling System

Press the button on the hydraulic control lever to tilt the forks forward to a horizontal position. This option is used for easier load placement and retrieval operations.



Parking Brake Alarm

As part of the Operator Presence System, a warning buzzer alerts the driver if he leaves the seat without first setting the parking brake.

Forward Thinking

Our standard back-up alarm provides plenty of notice to pedestrians and other drivers in the area. For applications with varying noise levels, there is an optional self-adjusting alarm that adjusts sound volume based on ambient noise levels.







Find Your Top Travel Speed Easier



With an optional speed switch, drivers can toggle from a high speed preset in one area then select a low speed, confident they are adhering to corporate requirements*.



Select the security key switch option to lock in a pre-set high or low speed*.


Set Travel Speeds Without Losing Productivity

Top travel speed is electronically controlled, so you won't sacrifice lift performance. The great news? No tools are needed to set desired speeds*.

* Speed pre-sets performed by trained service technician

The Ultimate in Control

The interactive meter panel on the Platinum II Series provides operators and technicians with a wealth of information through its LCD warnings and readouts. A visual indicator for its return-to-neutral feature shows the forklift's transmission direction.



Our multi-function display provides an at-a-glance view of critical functions:

- Α
- В Check engine warning
- C
- D
- Е Parking brake warning
- F. Seatbelt warning
- G
 - Fuel & water temperature gauges

 - Hour meter
 Clock/calendar
 - Speedomete

 - Error codes

Versatility and Value

The Nomad Series

Two Forklifts in One

The Nomad Series is a UniCarriers exclusive. At home anywhere, its cushion tire-sized chassis rides on solid pneumatic tires to deliver exceptional performance both indoors and out. And because our Nomad is part of the Platinum II family, you'll also enjoy the same reliability that comes with utilizing UniCarriers brand equipment in your operation.

For Indoor and Outdoor Use

The Nomad Series is available in 3000, 3500 and 5000 lb. lifting capacities. Its short wheelbase and tight turning radius mean it's sized like a standard cushion tire forklift, offering precise maneuverability in confined areas. But don't let its size fool you. It's just as effective in tough outdoor applications. And it offers higher capacity retention versus comparable pneumatic tire trucks.



Don't downsize your fleet – right size it. A proven performer across a variety of applications, the Nomad is bound to be one of the most relied upon forklifts in your facility. From loading dock to work yard, you'll discover the many ways these flexible trucks will benefit your operation.

50

UNICARRIE EXCL<mark>US</mark>I

UNICARRIERS

*Calculations based on comparison of Nomad vs. pneumatic tire forklift of same capacity.

Get up to 8% tighter turning radius without sacrificing capacity.*

72.6-87.5

Make It Yours

Choose from a variety of options to customize your ride. If you don't see what you need, contact your authorized UniCarriers dealer for help.

• Strobe & LED Work Lights Trucker's Mast High Air Intake Pre-Cleaner Overhead Guard-Mounted Fire Extinguisher UNI CARRIERS Forks with High Visibility Paint

> Dual Drive Tires*

> > * Available on pneumatic tire models only. Standard, pre-drilled holes in thick front fenders simplify field installation of dual tire option. Data plate change is required. Consult factory.

UNICARRIERS. FORKLIFT



Debris Resistance Package

Includes a belly screen and slotted wheel well inserts to prevent larger debris from entering the engine compartment and affecting key components. For additional protection, select the Recycler Package.



Blue LED Pedestrian Awareness Light

Reverse driving actuates an optional blue spotlight to illuminate the floor, for advanced visual warning.



Tilt Cylinder Protection Cylinder boots and covers provide extra protection against contaminants that can cause premature wear on cylinder packing.



Extended Overhead Guard

Extension provides protection to mounted components, including on-board computer and headlight (shown).




Fingertip Controls Increase operator productivity with ergonomic hydraulic controls. Choose single joystick or multiple lever designs.



Polycarbonate Overhead Guard Cover

Prevents small debris from entering the operator compartment through the overhead guard.



Sideshifting Fork Positioner

Hydraulically positions forks, eliminating the need for manual adjustment by the operator, providing increased productivity.



Rear LED Combination Lights

Package includes a reflector, turn signals, brake and back-up lights. Design provides high visibility and vibration resistance for long life and low service costs. Choose vertical or horizontal mounting (shown).



Radiator Screen Minimizes debris entering radiator, resulting in more efficient engine cooling.

Option Availability

Standard Optional
 GASOLINE DUAL FUEL

LP

Ventock MANALOSANTOversite RAMALOSANTImage and the sector of the sector				
Operation account (PA accessImage of the sector access of a programmable service remindersImage of the sector access of a programmable service remindersImage of the sector access of the sector acce	VEHICLE MANAGEMENT			
intested CD network panelImage and the series remained is and programmed is endower made is and programmed it and programmed is and	Vehicle Control Module (VCM)	•	•	•
On-based dapproducts and programmable analose remindersImage and the second transmission full dark diverse in transmi	Operator security PIN access	•	•	•
Engine contrait imprature gapsImage and the second warring lightsImage and the second warring lightsImage and the second warring lightsCH pressure, transmission fluid and low coolant warring lightsImage and the second warringImage and the second warringField packy- gapsImage and the second warringImage and the second warringImage and the second warringStandsr birth systemImage and the second warringImage and the second warringImage and the second warringStandsr birth systemImage and the second warring warringImage and the second warringImage and the second warringStandsr protected warring warringImage and the second warring warringImage and the second warringImage and the second warringThese was called to construct the second warring warringImage and the second warringImage and the second warringImage and the second warringThese was called to construct the second warring warring warringImage and the second warringImage and the second warringThese was called to construct the second warring warring warring warringImage and the second warringImage and the second warringStandsr and the second warring warring warring warring warring warring warring warring warring warringImage and the second warring warringImage and the second warring warringStandsr and warring bus and warring war	Interactive LCD meter panel	•	•	•
C)C)C)L'Max buy hal vanningCCL'Max buy hal vanningCCSmooth'shi tystemCCSmooth'shi tystemCCStartie lintorico, two LPCCExploration and varning systemCCExploration and varning systemCCExploration and varning systemCCThese wave calable converterCCCalabona datability controlCCChrister lintorico, to converterCCCalabona datability controlCCCalabona LP bracketCCString coll. LP bracketCCCalabona LP bracketCCCalabona LP bracketCCCalabona LD bracketC<	On-board diagnostics and programmable service reminders	•	•	•
LPMa kow law awring </td <td></td> <td>•</td> <td>•</td> <td>•</td>		•	•	•
Field gase gas Smooth Shift systemIISmooth Shift systemIIStatist intracional control SystemIIExplanamination production and warning systemIITrave system Explanamination for reducted whorth of (nonumatic)IITrave system Explanamination for reducted whorth of (nonumatic)IITrave system Explanamination for reducted whorth of (nonumatic)IITrave system Explanamination for reducted whorth InformaticIITrave system Explanamination for reducted whorth InformaticIIExplanamination for reducted whorth InformaticIISystem Explanamination for reducted whorth InformaticIIExplanamination for reducted whorth InformaticII<		•	•	•
Snotholin systemOOOState intatok - low LPOOState intatok - low LPOOPotentic Control SystemOOOSigniv Anarmise protection and warring systemOOOPathag powerrian for reduced vibration (prournatc)OOOThese way catalytic controlOOOOCathonad statistic for the system speedon (Packator screenOOOORadator screenOOOOORadator screenOOOOORadator screenOOOOORadator screenOOOOORadator screenOOOOORadator screenOOOOORadator screenOOOOOORadator screenOOOOOORadator screenOOOOOOORadator screenOOO<	-	•	-	•
Slatter back-back JPOOPOWERTRANExclonic Engine Control SystemEngine power and the trade of the		-	•	•
POWERTRANN Electronic Engine Cantral System Cantral discrimination Cantral discrimation <			0	-
Backronic Engries Control System Enginetransmission produced writening system Control power hole on (presumate) Control of addition (presumate) Control of the addition (pr		0	-	0
Enginetransmission protection and warning systemReading powertrain for induced waration (insumatic)Carbinoda stability controlCarbinoda stability control				
Pating powerhain for reduced whatten (pneumatic)•••Tree-way catalytic contert•••Carline distability control•••Carline distability control•••Swing dut LP bracket*•••Carline distability distability control•••Parking brack with warning buzzer•••Parking brack with warning buzzer•••Parking brack with warning buzzer•••Carline distability control•••Carline distability Carling *•••Parking brack with warning buzzer•••Parking brack with warning buzzer•••System distability Carling *•••Carline distability C		•		
Three-way catalytic convertar•••Cashiond stability control•• <t< td=""><td></td><td>•</td><td>•</td><td></td></t<>		•	•	
Cachoned stability controlImage and control highly speed selector)Image and control highly speed selectorImage and control highly speed selector)Image and control highly speed selectorImage and control highly speed selector)Image and control highly speed selector highly selector h				
Travel speed control (high/low speed selector)000Control da accieration (powe/oconomy selector) Radiator screen000Indiator screen0000Indiator screen00000Indiator screen000000Indiator screen00 </td <td></td> <td></td> <td></td> <td></td>				
Cantrolled acceleration (power/aconomy selector) Rediator screen000Radiatr screen000Diffusion exhapped multifler000LP SYSTEM0Swing-down LP bracket0-0BAKE00BAKE-000Diffusion exhapped multiflex power/aconomy selector) Rever000BAKE000BAKE-00000MAST0000Sel activited advo-mast look system000 <td></td> <td>0</td> <td>0</td> <td>0</td>		0	0	0
Redictor coreen000Diffusion orchaust multiler000Dersort Dersort multiler000Swing-out LP bracket*000Swing-out LP bracket*000Barker0000Parking brake warning buzzer000Parking brake warning brazer000Parking brake warning brazer000Parking brake warning0000Parking brake warning brake war				
Diffusion exhaust nuffler000LP Saving-down LP bracket*Swing-down LP bracket*0-0EAXEParking brake with warning buzzerParking brake transmission interlock000AVSTSeat actuated auto-mast lock system000Ophl/we" three-stage mast000Signe fit/fit icorot lower000Signe fit/fit icorot lowers000Start stit icorot lowers000Start stit icorot lowers000OPENATOR CONCINCINCIESFull suspension seat with weight & lumbar adjustment000Overhaad guard-mounted LED headights000Rear LED combination light package (turn, stop, back-up)000Rear LED combination light package (turn, stop, back-up)000Rear LED combination light package (turn, stop, back-up)000Rear LED combination light package (turn, stop, back-up)000Seature rare grip with hom buton0000Seature rare grip with moturn-to-neutral and auto mast lock000Seature rare grip with moturn-to-neutral and auto mast lock000Seature rare grip with moturn-to-neutral and auto mast lock000Seature rare g			-	_
LP SYSTEM •				
Swing-out LP bracket*Swing-out LP bracket*OOGRAKEParking bracket transmission interlockOOParking bracke transmission interlockOOMASTSeat actuated auto-mast lock systemOOOptivlew? three-stage mastOOOOptivlew? three-stage mastOOOHgh visibility Carrlage*OOOHgh visibility Carrlage*OOOSingle lift/tit control leverOOOSeparate lift & tit control leversOOOSeparate lift & tit control leversOOOAutomatic fork keeling*OOOOverhead guard-mounted LED headlightsOOOReaview mirrosOOOOReaview mirrosOOOOReaview mirrosOOOOPart ED combination light package (turn, stop, back-up)OOOReaview mirrosOOOOReaview mirrosOOOOReaview mirrosOOOOReaview mirrosOOOOReaview mirrosOOOOReavier mirrosOOOOReavier mirrosOOOOReavier mirrosOOOOReavier mirrosOOOOReavier		Ŭ	Ŭ	0
Swing-down LP bracket0-0ErAccParking bracke with warning buzzer000MAST000Seat doutled auto-mast lock system000High-Visibility Carriage'000High-Visibility Carriage'000High-Visibility Carriage'000Hype-Visibility Carriage'000Hype-Visibility Carriage'000Hype-Visibility Carriage'000Automatic fork levering'000Separate lift & thi control levers000Suparate lift & thi control levers000Overhead guard-mounted LD headingtins000Rear LD convinciation light package (turn, stop, back-up)000Rear LD convinciation light package (turn, stop, back-up)000Rear LD convinciation light package (turn-to-neutral and automast lock000Seatare rare grip with horn button0000Portocritox/SEUCHTV10000Li Safey ranging00000Seatabeli interlocks00000Li Safey ranging00000Li Safey ranging00000Seatabeli interlocks00000Li Safey ranging0 </td <td></td> <td>•</td> <td>-</td> <td>•</td>		•	-	•
BRAKE Parking brake with warning buzzer Parking brake transmission interlock Parking brake transmission seat with weight & lumbar adjustment Perertor CONVENENCES Parking drand-mound LED headlights Parking drand-mound LED headlights Parking milling brake (turn, stop, back-up) Parking milling brake transmission (the loght Parking milling brake (turn, stop, back-up) Parking milling brake (turn in stop, back-up) Parking millin	-	0	-	0
Parking brake with warning buzzer Parking brake transmission interlock Parking brake transmission interlock MAST MAST Seat actuated auto-mast lock system Optiview[®] three-stage mast O O	-			
Parking brake transmission interlock ● ● MAST Seat actuated auch mast lock system ● ● Seat actuated auch mast lock system ● ● ● OptiView" three-stage mast ● ● ● High-Visibility Carriage" ● ● ● HYDRAULO SYSTEM ● ● Separate lift & tilt control lever ● ● ● Separate lift & tilt control levers ● ● ● Automatic fork leveling" ● ● ● Overhead guad-mounted LED headlights ● ● ● Rear LED drow light ● ● ● ● Rear LED drow light ● <t< td=""><td></td><td>•</td><td>•</td><td>•</td></t<>		•	•	•
Seat actuated auto-mast lock system 		•	•	•
Optiview® three-stage mastOOOHigh-Visibility Carriage*•••<	MAST			
High-Visibility Carriage' High-Visibility Carriage' Itely Step Carriage' Itely	Seat actuated auto-mast lock system	•	•	٠
HYDRAULIC SYSTEM Single lift/tilt control lever Separate lift & tilt control levers O O	OptiView® three-stage mast	0	0	0
Single lift/til control levers 0 0 Separate lift & tilt control levers 0 0 Automatic fork leveling* 0 0 OPERATOR CONVENIENCES 0 Full suspension seat with weight & lumbar adjustment 0 0 Overhead guard-mounted LED headlights 0 0 Rear Verw mirrors 0 0 0 Rear LED combination light package (turn, stop, back-up) 0 0 0 Rear LED combination light package (turn, stop, back-up) 0 0 0 Rear LED combination light package (turn, stop, back-up) 0 0 0 Rear LED combination light package (turn, stop, back-up) 0 0 0 Secure rear grip with horn button 0 0 0 0 POPECTION/SECURITY 0 0 0 0 UL Safety rating* 0 - - 1	High-Visibility Carriage*	٠	•	٠
Separate lift & til control levers O O O Automatic fork leveling* O O O OPERATOR CONVENIENCES I I Full suspension seat with weight & lumbar adjustment I I I Overhead guard-mounted LED headlights I I I Rearview mirrors O O I Rear LED combination light package (turn, stop, back-up) O O I Rear LED drive light O O O I Secure rear grip with horn button O O O I PROTECTION/SECURITY I	HYDRAULIC SYSTEM			
Automatic fork leveling* O O OPERATOR CONVENIENCES • • Full suspension seat with weight & lumbar adjustment • • • Overhead guard-mounted LED headlights • • • • Rearview mirrors O O O • • Rear LED combination light package (turn, stop, back-up) O O O O Rear LED drive light O O O O O Rear LED drive light O <td< td=""><td>Single lift/tilt control lever</td><td>•</td><td>•</td><td>•</td></td<>	Single lift/tilt control lever	•	•	•
OPERATOR CONVENENCES Full suspension seat with weight & lumbar adjustment Overhead guard-mounted LED headlights Overhead guard <l< td=""><td>Separate lift & tilt control levers</td><td>0</td><td>0</td><td>0</td></l<>	Separate lift & tilt control levers	0	0	0
Full suspension seat with weight & lumbar adjustment Overhead guard-mounted LED headlights Overhead guard-mounted LED headlights O Rear LED drive light O <lio< li=""> O </lio<>	Automatic fork leveling*	0	0	0
Overhead guard-mounted LED headlightsImage: Constraint of the state of	OPERATOR CONVENIENCES			
Rearview mirrorsOOORear LED combination light package (turn, stop, back-up)OOORear LED drive lightOOOOSecure rear grip with horn buttonOOOOPROTECTION/SECURITYOperator Presence System with return-to-neutral and auto mast lockOOOSeatbelt interlocksOOOOUL Safety rating*OOBack-up warning alarmOOOOSelf-adjusting back up alarmOOOOPre ExtinguisherOOOOSeat Belt Warning SystemOOOOSeat Belt Warning SystemOOOOInge SeatbeltOOOOHigh Visibility Orange ForksOOOO		•	•	•
Rear LED combination light package (turn, stop, back-up)OOORear LED drive lightOOOSecure rear grip with horn buttonOOOPROTECTION/SECURITYIIIOperator Presence System with return-to-neutral and auto mast lockOOOSeatbelt interlocksOOOOUL Safety rating*OIBack-up warning alarmOOOOSelf-adjusting back up alarmOOOOPre ExtinguisherOOOOSeat Belt Warning SystemOOOOSeat Belt Warning SystemOOOOIgh Visibility Orange ForksOOOO		•	•	•
Rear LED drive lightOOOSecure rear grip with horn buttonOOOPROTECTION/SECURITYIIIOperator Presence System with return-to-neutral and auto mast lockOOOSeatbelt interlocksOOOOUL Safety rating*OIBack-up warning alarmOOOOSelf-adjusting back up alarmOOOOFire ExtinguisherOOOOParking Brake w/ Warning BuzzerOOOOSeat Belt Warning SystemOOOOItigh Visibility Orange ForksOOOO				
Secure rear grip with horn buttonOOPROTECTION/SECURITYIIOperator Presence System with return-to-neutral and auto mast lockIISeatbelt interlocksOOUL Safety rating*O-Back-up warning alarmIISelf-adjusting back up alarmOOFire ExtinguisherOOParking Brake w/ Warning BuzzerOOSeat Belt Warning SystemIIOrange SeatbeltOOHigh Visibility Orange ForksOO				
PROTECTION/SECURITYOperator Presence System with return-to-neutral and auto mast lock <	-			
Operator Presence System with return-to-neutral and auto mast lockImage: Constraint of the system with return-to-neutral and auto mast lockSeatbelt interlocksOOUL Safety rating*O-Back-up warning alarmO-Back-up warning alarmOOSelf-adjusting back up alarmOOFire ExtinguisherOOParking Brake w/ Warning BuzzerOOSeat Belt Warning SystemOOOrange SeatbeltOOHigh Visibility Orange ForksOO		0	0	0
Seatbelt interlocksOOOUL Safety rating*OBack-up warning alarmOOOSelf-adjusting back up alarmOOOSelf-adjusting back up alarmOOOFire ExtinguisherOOOParking Brake w/ Warning BuzzerOOOSeat Belt Warning SystemOOOOrange SeatbeltOOOHigh Visibility Orange ForksOOO				
UL Safety rating*O-Back-up warning alarmOOOSelf-adjusting back up alarmOOOSelf-adjusting back up alarmOOOFire ExtinguisherOOOParking Brake w/ Warning BuzzerOOOSeat Belt Warning SystemOOOOrange SeatbeltOOOHigh Visibility Orange ForksOOO	Operator Presence System with return-to-neutral and auto mast lock	•	•	•
Back-up warning alarm•••Self-adjusting back up alarmOOOFire ExtinguisherOOOParking Brake w/ Warning BuzzerOOOSeat Belt Warning System•••Orange SeatbeltOOOHigh Visibility Orange ForksOOO	Seatbelt interlocks	0	0	0
Self-adjusting back up alarmOOFire ExtinguisherOOParking Brake w/ Warning BuzzerOOSeat Belt Warning SystemOOOrange SeatbeltOOHigh Visibility Orange ForksOO	UL Safety rating*	0	-	-
Fire ExtinguisherOOParking Brake w/ Warning BuzzerOOSeat Belt Warning System••Orange SeatbeltOOHigh Visibility Orange ForksOO	Back-up warning alarm	•	•	•
Fire ExtinguisherOOParking Brake w/ Warning BuzzerOOSeat Belt Warning System••Orange SeatbeltOOHigh Visibility Orange ForksOO	Self-adjusting back up alarm	0	0	0
Parking Brake w/ Warning BuzzerOOSeat Belt Warning System•••Orange SeatbeltOOOHigh Visibility Orange ForksOOO		0	0	0
Seat Belt Warning System•••Orange SeatbeltOOOHigh Visibility Orange ForksOOO				
Orange Seatbelt O O High Visibility Orange Forks O O				
High Visibility Orange Forks O O O				
	-			_
Blue LED spotlight - front/ rear O O O				
	Blue LED spotlight - front/ rear	0	0	0

Specifications

*Available on select models. Consult factory. Safety ratings available on select models/fuel types

PNEUMATIC TIRE 3000 - 7000 LB. MODELS

SHORT MODEL CODES	PF30 PF30LP PF30DF	PF35 PF35LP PF35DF	PFS40 PFS40LP PFS40DF	PF(U)40 PF(U)40LP PF(U)40DF	PF(U)50 PF(U)50LP PF(U)50DF	PF55 PF55LP PF55DF	PF60 PF60LP PF60DF	PF70 PF70LP PF70DF
Engine Models Available	GK21	GK21	GK21	GK21/GK25	GK21/GK25	GK25	GK25	GK25
Load Capacity - Ib	3000	3500	4000	4000	5000	5500	6000	7000
Wheelbase - in	55.1	55.1	55.1	63.0	63.0	63.8	66.9	66.9
Overall Width - in	41.9	41.9	41.9	45.3	45.3	49.2	49.2	50.4
Overall Length (no forks) - in	89.0	90.2	91.3	96.9	99.0	102.8	105.5	108.5
Overall Height (OHG) - in	83.3	83.3	83.3	83.5	83.5	84.6	84.6	84.8
Turning Radius (outside) - in	76.2	77.6	79.1	83.5	85.8	88.2	90.6	94.1

CUSHION TIRE 3000 - 8000 LB. MODELS

SHORT MODEL CODES	CF30LP CF30DF	CF35LP CF35DF	1	CF40 CF(U)40LP CF(U)40DF	CF50 CF(U)50LP CF(U)50DF			CF60LP CF60DF	CFS65LP CFS65DF	CF70LP CF70DF	CF80LP CF80DF
Engine Models Available	GK21	GK21	GK21	GK21/ GK25	GK21/GK25	GK21/ GK25	GK25	GK25	GK25	GK25	GK25
Load Capacity - Ib	3000	3500	4000	4000	5000	5500	6000	6000	6500	7000	8000
Wheelbase - in	46.9	46.9	46.9	55.1	55.1	55.1	55.1	59.1	55.1	59.1	59.1
Overall Width - in	38.2	38.2	38.2	42.1	42.1	43.1	43.1	43.9	43.9	45.9	45.9
Overall Length (no forks) - in	81.9	83.1	84.4	89.0	91.3	93.9	95.3	96.5	96.3	98.2	100.0
Overall Height (OHG) - in	81.1	81.1	81.1	82.1	82.1	82.1	82.1	82.3	82.1	82.3	82.3
Turning Radius (outside) - in	68.3	69.5	70.9	76.0	78.3	79.5	80.7	80.9	81.5	82.5	83.9

COMPACT PNEUMATIC TIRE (NOMAD) 3000 - 5000 LB. MODELS

SHORT MODEL CODES	AF30LP AF30DF	AF35LP AF35DF	AF50LP AF50DF
Engine Models Available	GK21	GK21	GK21
Load Capacity - Ib	3000	3500	5000
Wheelbase - in	50.8	50.8	59.1
Overall Width - in	40.7	40.7	46.3
Overall Length (no forks) - in	83.9	85	92.9
Overall Height (OHG) - in	83	82.7	82.3
Turning Radius (outside) - in	72.6	73.8	80.7

ENGINES

		GK 21 (2.1 LITEF	R)	GK 25 (2.5 LITER)			
Engine Models	GAS LPG D		DUAL FUEL	GAS	LPG	DUAL FUEL	
Displacement - cu in (L)	126.0	126.0	126.0	151.8	151.8	151.8	
Rated Output - hp (kW) @ rpm	51.9 (38.7) @ 2700	53.6 (40.0) @ 2700	53.2 (39.7) @ 2700	59.7 (44.5) @ 2700	61.4 (45.8) @ 2700	61.0 (45.5) @ 2700	
Rated Torque - ft-lb (NM) / rpm	109.2 (148.0) @ 2000	110.6 (150.0) @ 2000	109.9 (149.0) @ 2000	129.1 (175.0) @ 1600	137.9 (187.0) @ 1600	137.2 (186.0) @ 1600	

Reliability. It's the defining trait of our company and our forklifts.



UniCarriers' roots extend back over 100 years, and over that time, strong, reliable performance has always been the hallmark of our organization, our people and our equipment.

Today, our unrivaled reliability continues to provide UniCarriers' customers with a competitive edge. And together, we move the merchandise that moves world commerce with greater efficiency, economy and reliability.

When it comes to providing forklifts that make a difference for our customers and theirs...

2 YEAR UNLAALTED

We Never Quit.



SB-PLATINUM-II 10-2018 Printed in U.S.A.

UniCarriers[®] is a registered trademark of UniCarriers Corporation. Platinum II[®], Nomad[®] and OptiView[®] are all registered trademarks of UniCarriers Americas. UniCarriers Americas Corporation reserves the right to make product changes relating to colors, equipment, specifications or available options without notice. For more information, contact your UniCarriers representative.

